

2020

HIRE GUIDE

- Excavators
- Skid Steers
- Posi-Tracks
- Compaction / Rollers
- Site Dumpers
- Tip Trucks
- Attachment Hire



FOCUS
MACHINERY | HIRE+SALES


THE FOCUS GUARANTEE - GO AHEAD AND DIG!

Focus Machinery is a family run specialised earthmoving equipment hire company and our staff are willing and able to exceed the expectations and needs of our clients no matter the size of their request or project.

Our team goal is delivering the best possible tailored solution for the challenge our clients are facing. We choose to work alongside our clients to ensure we better understand their needs to match the specific requirements. We now house over 500 attachments in our warehouse of the worlds leading brands. Our goals for the future are to grow new relationships within the construction industry and of course strengthen those we have already established.

Here at Focus Machinery we make sure that hiring is as effortless as it should be. We have tried and tested equipment from around the world to ensure maximum efficiency and safety. Here at Focus Machinery we also keep our fleet low hour and as close to new as possible!

At Focus Machinery current and new clients will always know they have access to genuine advice and the best equipment without the burden of stretching your balance sheet. We put the child's play back into earthmoving!



5 FEATURES TO EXPECT WHEN CHOOSING FOCUS MACHINERY.

1. Old Fashioned Service

Our initial process is to gather as much detailed information about your job requirements to ensure we truly understand what the projects dependant factors are what we can do get the job done.

2. Make Things Happen

We will implement our industry knowledge and experience to help determine which machine will provide the most efficiency.

3. Get you Going

We pride ourselves on going the extra mile for the customer. This means we will review the processes of the job to ensure we have your machine delivered or picked up on time every time.

4. Keep you Going

At Focus we understand that every job comes with its challenges. So, if things happen to take a turn for the worst Focus will offer the best possible solution to ensure your project gets back on its feet.

5. We Have Your Back

Our exceptional customer support ensures that you have a point of contact 24 hours a day 7 days a week 365 days of the year!

6 REASONS WHY HIRING IS BETTER THAN BUYING

1. Latest & Greatest

When you hire from Focus Machinery you are sure to get the latest technology that is all serviced and ready to be put to work!

2. Lighter on your Pocket

Buying equipment of your own requires a large capital outlay! With hiring though, you get to use great equipment for a fraction of the cost. Also, things like insurance cover and other expenses have already been taken care of.

3. Industry Professionals

Focus Machinery has an exceeding amount of industry knowledge. This will go a long way in ensuring you are getting the right equipment to get the job done as efficiently as possible!

4. Flexibility

Let our range complement your own fleet. This means you can increase productivity by having the right machine for the job.

5. Use When Needed

Hiring allows you to source the machine on an as needed basis. This means you won't be incurring additional costs like you would if a purchased machine was sitting in the shed.

6. Test Drive

Hiring means you can do research on a machine you are likely to buy. You can use this time spent in the machine to decide if this is the right fit for you, or if another machine will be better suited.

“

I STUMBLED ACROSS FOCUS MACHINERY WHEN
GOOGLING EXCAVATOR HIRE AS ALL MY EXCAVATORS
WERE BUSY. NOT ONLY DO THESE GUYS HIRE MACHINES
BUT ALL THE ATTACHMENTS FOR EXCAVATORS ARE
AVAILABLE FOR HIRE ON OUR OWN MACHINES. ITS BEEN A
TERRIFIC HELP AND AM SO GLAD I HAVE FOUND THEM.

”

- SHAWN / THOMASTOWN

“

WHEN YOU'VE BEEN IN BUSINESS FOR A WHILE YOU GET
TO REALISE THAT SOME FIRMS LET YOU DOWN MORE
THAN THEY SUPPORT YOU. AND, FROM TIME TO TIME, YOU
COME ACROSS SOMEONE WHO COMPLETELY SUPPORTS
YOU. THAT'S WHAT FOCUS ARE.

”

- DON

“

SERVICE IS 10 OUT OF 10. AWESOME AND EASY TO DEAL
WITH. THIS GOES FOR EVERYONE WHO WORKS THERE.

”

- DAVID

Contents

Excavator Hire	6
Posi-track Hire	14
Compaction/Roller Hire	20
Tipper/Hydrema Hire	26
Light Compaction Hire	30
Excavator Attachments	36
Skid Steer & Multi-Terrain Loader Attachments	50

EXCAVATOR HIRE



Beacon



Squawker



Reflective
Tape



Emergency
Stop



Lockable
Isolator



Anti-Drop
Valves



UHF
Radio



Fire
Extinguisher



Plant
Assessment



Operator's
Manual



Quick
Hitch



Air
Conditioning



Zero
Swing



ROPS
Canopy



Trailer
Mounted



Case
Drain



GPS





0.8 TONNE EXCAVATOR

KOBELCO & YANMAR

Overall Weight:	800 - 1,035kg
Overall Length:	2,470 - 2,720mm
Overall Width:	680 - 840mm
Overall Height:	2,200 - 2,300mm
Max Dig Depth:	1500mm
Max Reach:	2,830 - 4,250mm
Max Cutting Height:	2,750 - 2,870mm



EXCAVATOR **HIRE**

2.5 TONNE EXCAVATOR

KUBOTA

Overall Weight:	2,550kg
Overall Length:	4150mm
Overall Width:	1,500mm
Overall Height:	2,420mm
Max Dig Depth:	2810mm
Max Reach:	4,770mm
Max Cutting Height:	4,530mm



EXCAVATOR **HIRE**

1.8 TONNE EXCAVATOR

YANMAR & KUBOTA

Overall Weight:	1,730kg
Overall Length:	3,450 - 3,545mm
Overall Width:	990 - 1,240mm
Overall Height:	2,340mm
Max Dig Depth:	2,200 - 2,310mm
Max Reach:	3,710 - 3,840mm
Max Cutting Height:	3,540 - 3,690mm



EXCAVATOR HIRE

3.5 TONNE EXCAVATOR

CATERPILLAR, KUBOTA & YANMAR

Overall Weight:	3,508 - 3,825kg
Overall Length:	4,730 - 5,390mm
Overall Width:	1,700 - 1,740mm
Overall Height:	2,500 - 3,410mm
Max Dig Depth:	2,320 - 3,010mm
Max Reach:	5,200 - 5,280mm
Max Cutting Height:	4,840 - 5,110mm



EXCAVATOR HIRE

5 TONNE EXCAVATOR

KUBOTA, YANMAR & KOBELCO

Overall Weight:	4,550 - 4,855kg
Overall Length:	5,230 - 5,330mm
Overall Width:	1,940 - 1,960mm
Overall Height:	2,530 - 2,550mm
Max Dig Depth:	3,360 - 3,440mm
Max Reach:	5,540 - 5,900mm
Max Cutting Height:	4,530 - 5,790mm



EXCAVATOR **HIRE**

8 TONNE EXCAVATOR

KUBOTA, HITACHI & YANMAR

Overall Weight:	8,065 - 8,677kg
Overall Length:	6,410 - 6,820mm
Overall Width:	2,200 - 2,270mm
Overall Height:	2,540 - 2,700mm
Max Dig Depth:	4,130 - 4,600mm
Max Reach:	5,960 - 7,700mm
Max Cutting Height:	5,665 - 7,140mm



EXCAVATOR **HIRE**

5.5 TONNE EXCAVATOR

KUBOTA, YANMAR & KOBELCO

Overall Weight:	5,160 - 5,380kg
Overall Length:	5,320 - 5,560mm
Overall Width:	1,960 - 1,990mm
Overall Height:	2,530 - 2,620mm
Max Dig Depth:	3,440- 3,980mm
Max Reach:	5,630 - 6,290mm
Max Cutting Height:	5,665 - 6,060mm



EXCAVATOR HIRE

10 TONNE EXCAVATOR

YANMAR SV100

Overall Weight:	9,775kg
Overall Length:	6,430mm
Overall Width:	2,320mm
Overall Height:	2,830mm
Max Dig Depth:	4,530mm
Max Reach:	7,400mm
Max Cutting Height:	7,730mm



EXCAVATOR HIRE

15 TONNE EXCAVATOR*

CATERPILLAR, KOBELCO, CASE, SUMITOMO & JCB

Overall Weight:	14,500 - 15,000kg
Overall Length:	7,670 - 7,870mm
Overall Width:	2,490 - 2,690mm
Overall Height:	2,770 - 2,820mm
Max Dig Depth:	5,110 - 6,040mm
Max Reach:	7,940 - 8,230mm
Max Cutting Height:	8,720 - 9,060mm



*Available with GPS and rubber pads

EXCAVATOR HIRE

20 TONNE EXCAVATOR

CATERPILLAR & JCB

Overall Weight:	19,925 - 21,300kg
Overall Length:	9,530 - 9,580mm
Overall Width:	2,670 - 3,170mm
Overall Height:	2,960 - 3,070mm
Max Dig Depth:	5,520 - 6,720mm
Max Reach:	8,720 - 9,860mm
Max Cutting Height:	8,670 - 9,450mm



EXCAVATOR HIRE

15 TONNE EXCAVATOR (OFFSET BOOM)

KOBELCO

Overall Weight:	14,800kg
Overall Length:	7,410mm
Overall Width:	2,490mm
Overall Height:	2,860mm
Max Dig Depth:	5,520mm
Max Reach:	8,340mm
Max Cutting Height:	6,740mm



*Available with rubber pads

EXCAVATOR HIRE

25 TONNE EXCAVATOR

SUMITOMO

Overall Weight:	25,000kg
Overall Length:	9,300mm
Overall Width:	2,800mm
Overall Height:	3,010mm
Max Dig Depth:	5,480mm
Max Reach:	9,370mm
Max Cutting Height:	10,520mm



EXCAVATOR HIRE

POSI-TRACK **HIRE**



Beacon



Squawker



Reflective
Tape



Emergency
Stop



Lockable
Isolator



UHF
Radio



Fire
Extingisher



Plant
Assessment



Operator's
Manual



Trailer
Mounted



Air
Conditioning



Pilot
Control



High
Flow



Hand/Foot
Control





30 HORSEPOWER

ASV

Overall Weight: 1,500-1,633kg

Overall Length: 2,896mm

Overall Width: 1,219mm

Overall Height: 1,840mm

Max Reach: 2,900mm

Max Cutting Height: 2,565mm



POSI-TRACK **HIRE**

75 HORSEPOWER

KUBOTA SVL75

Overall Weight: 4,225kg

Overall Length: 3,576mm

Overall Width: 1,735mm

Overall Height: 2,083mm

Max Reach: 1,060mm

Max Cutting Height: 3,025mm



POSI-TRACK **HIRE**

60 HORSEPOWER

CATERPILLAR & TAKEUCHI

Overall Weight:	3,306 - 3,395kg
Overall Length:	3,234 - 3,330mm
Overall Width:	1,530 - 1,756mm
Overall Height:	1,975 - 2,034mm
Max Reach:	1,356mm
Max Cutting Height:	2,858 - 2,905mm



POSI-TRACK **HIRE**

80 HORSEPOWER

CATERPILLAR 259D

Overall Weight:	4,057kg
Overall Length:	3,486mm
Overall Width:	1,676mm
Overall Height:	2,111mm
Max Reach:	1,305mm
Max Cutting Height:	3,915mm



POSI-TRACK **HIRE**

90 HORSEPOWER

KUBOTA SVL95

Overall Weight:	4,225kg
Overall Length:	3,576mm
Overall Width:	1,735mm
Overall Height:	2,083mm
Max Reach:	1,060mm
Max Cutting Height:	3,025mm



POSI-TRACK **HIRE**

3 TONNE

SKIDSTEER - CATERPILLAR 226B

Overall Weight:	2,641kg
Overall Length:	3,233mm
Overall Width:	1,525mm
Overall Height:	1,950mm



SKID STEER **HIRE**

100 HORSEPOWER

TAKEUCHI TL12R & CAT 299D3

Overall Weight: 5,580kg

Overall Length: 2,690mm

Overall Width: 1,530mm

Overall Height: 1,975mm

Max Reach: 560mm

Max Cutting Height: 2,275mm



POSI-TRACK HIRE

4 TONNE

SKIDSTEER - KUBOTA SSV75

Overall Weight: 3,820kg

Overall Length: 3,660mm

Overall Width: 1,823mm

Overall Height: 2,065mm



SKID STEER HIRE

COMPACTION/ ROLLER **HIRE**



Beacon



Squawker



Reflective
Tape



Emergency
Stop



Lockable
Isolator



Plant
Assessment



Operator's
Manual



ROPS
Canopy



Air
Conditioning



Trailer
Mounted



UHF
Radio



Fire
Extingisher





1 TONNE

SMOOTH DRUM - WACKER NEUSON

Overall Weight: 1,130kg

Overall Length: 1,824mm

Overall Width: 1,035mm

Overall Height: 2,300mm



COMPACTION/ROLLER **HIRE**

3 TONNE

SMOOTH DRUM - WACKER NEUSON

Overall Weight: 2,695kg

Overall Length: 2,460mm

Overall Width: 1,310mm

Overall Height: 2,390mm



COMPACTION/ROLLER **HIRE**

1.5 TONNE*

TRENCH ROLLER - WACKER NEUSON

Overall Weight:	1,495kg
Overall Length:	1,853mm
Overall Width:	820mm
Overall Height:	1,270mm



*Remote controlled



COMPACTION/ROLLER HIRE

5 TONNE

PADFOOT - DYNAPAC

Overall Weight:	4,750kg
Overall Length:	3,950mm
Overall Width:	1,495mm
Overall Height:	2,540mm



*With grader blade



COMPACTION/ROLLER HIRE

7 TONNE

PADFOOT - DYNAPAC

Overall Weight: 7,500kg

Overall Length: 4,871mm

Overall Width: 1,852mm

Overall Height: 2,867mm



COMPACTION/ROLLER **HIRE**

12 TONNE

PADFOOT - DYNAPAC

Overall Weight: 12,000kg

Overall Length: 5,990mm

Overall Width: 2,304mm

Overall Height: 2,970mm



COMPACTION/ROLLER **HIRE**

7 TONNE

SMOOTH DRUM - DYNAPAC

Overall Weight: 7,200kg

Overall Length: 5,280mm

Overall Width: 1,866mm

Overall Height: 2,730mm



COMPACTION/ROLLER HIRE

12 TONNE

SMOOTH DRUM - DYNAPAC

Overall Weight: 12,000kg

Overall Length: 5,990mm

Overall Width: 2,300mm

Overall Height: 2,870mm



COMPACTION/ROLLER HIRE

TIPPER/ HYDREMA **HIRE**



Beacon



Squawker



Reflective
Tape



Emergency
Stop



Lockable
Isolator



Plant
Assessment



Operator's
Manual



Air
Conditioning



UHF
Radio



Fire
Extinguisher





2.5 TONNE

ISUZU & MITSUBISHI

Overall Weight:	2,575 - 2,725kg
Overall Length:	4,690 - 4,900mm
Overall Width:	1,695 - 1,855mm
Overall Height:	2,175 - 2,140mm
Carrying Capacity:	2.5 Tonnes



*Can be driven with a standard driver's licence

TIPPER TRUCK/HYDREMA **HIRE**

HYDREMA

ARTICULATED DUMP TRUCK

- 5.6m³ /10 tonne carrying capacity
- Swivel tip system for dumping within a 180° area



TIPPER TRUCK/HYDREMA **HIRE**

6 TONNE

ISUZU

Overall Weight: 4,500vkg

Overall Length: 6,265mm

Overall Width: 2,200mm

Overall Height: 2,520mm

Carrying Capacity: 6 Tonnes



*Can be driven with a medium rigid driver's licence

TIPPER TRUCK/HYDREMA HIRE

DUAL VIEW DUMP TRUCK

6 TONNER (DV60)

Overall Weight: 4,534kg

Overall Length: 4.450mm

Overall Width: 2,230mm

Overall Height: 3,377mm

Carrying Capacity: 3.2m³ / 6t



9 TONNER (DV90)

Overall Weight: 5,250kg

Overall Length: 4,622mm

Overall Width: 2,420mm

Overall Height: 3882mm

Carrying Capacity: 9t/4.4m³

* 180° swivel dump system



TIPPER TRUCK/HYDREMA HIRE

LIGHT COMPACTION HIRE



Fire
Extinguisher



Emergency
Stop



Operator's
Manual





JUMPING JACK

(WACKER NEUSON)

Overall Weight:	56kg
Overall Length:	673mm
Overall Width:	343mm
Overall Height:	940mm
Centrifugal Force:	16kN
Best Plate Size:	165 x 340mm



LIGHT COMPACTION **HIRE**

DPU

(WACKER NEUSON)

Overall Weight:	480kg
Overall Length:	1,060mm
Overall Width:	780mm
Overall Height:	1,521mm
Centrifugal Force:	65kN
Best Plate Size:	550 x 900mm



LIGHT COMPACTION **HIRE**

WACKER PLATE

(WACKER NEUSON)

Overall Weight:	77kg
Overall Height:	513mm
Centrifugal Force:	20kN
Best Plate Size:	610 x 460mm



LIGHT COMPACTION **HIRE**

“

YOU GET THAT PERSONAL CONNECTION. IT'S WHEN YOU
FEEL WELCOME. I POP IN QUITE A BIT FOR A CHAT.

”

- **DANIEL**

Attachments available to fit 95% of excavators up to 25 tonne.

“

HAVE USED FOCUS MACHINERY WHEN WE HAVE HAD ALL OUR EQUIPMENT BUSY, SOME ATTACHMENTS FOR SPECIAL PROJECTS. GREAT SERVICES, EASY TO DEAL WITH, THANKS JERRY AND TEAM.

”

- JULIE / CHIRNSIDE PARK



Call us on

039756390



Email us today at

sales@focusmachinery.com.au



Visit us online

www.focusmachinery.com.au



Open from

6am -5pm(Mon-Fri)



Visit our depot at

**7-9 Kearney Street
Bayswater VIC 3153**

**Call us today
to discuss pin
sizes and spacing**

**Onsite
fitting
available**

**Large range of
hydraulic adapters
and couplers to ensure
it fits your machine**



EXCAVATOR ATTACHMENTS

Excavators have become an inevitable part of projects like landscaping, demolition, civil works & many more. To cater for these jobs, we offer a wider range of excavators, starting from the smallest 0.8 Tonne to as large as 25 Tonne. However, the real benefits to the machine come from the wide range of specialised attachments that you can add to it. The attachments can make your worksite run far more quickly and effectively.

Focus Machinery only hire attachments that we would put on our own machines, so you can be sure that what you'll be hiring is the best quality product.



GENERAL AUGERS

TUNGSTEN TEETH

SPECS

- 0.8t – 3.5t - 65mm round (A4)
- 5t – 20t - 75mm square (A8)

SIZE RANGE

- A4 - 100mm – 900mm
- A8 - 300mm – 1500mm

APPLICATIONS:

- General Purpose Drilling in Earth and Clay / Hard Ground



EXCAVATOR ATTACHMENTS

DEDICATED ROCK AUGERS

ROTATING ROCK PICK TEETH

SPECS

- 5t – 20t - 75mm square (DR8)
- 20t – 25t - 100mm square Heavy duty (DR11)

SIZE RANGE

- DR8 - 350mm - 600mm
- DR11 - 450mm - 900mm

APPLICATIONS:

- Fracturable Rock
- Hard rock (e.g Basalt)



EXCAVATOR ATTACHMENTS

ROCK COMBO AUGERS

TAPERED TUNGSTEN TEETH

SPECS

- 0.8t – 3.5t - 65mm round (RC4)
- 5t – 25t - 75mm square (RC8)

SIZE RANGE

- RC4 225mm – 900mm
- RC8 225mm – 1200mm

APPLICATIONS:

- Shale / Fracturable Rock
- Can be used for hard ground like clay



EXCAVATOR **ATTACHMENTS**

CORE BARRELS

ROTATING ROCK PICK TEETH

SPECS

- 8t – 25t - 100mm square hub / 19mm teeth
- 20t – 25t - 100mm square hub / 25mm teeth

SIZE RANGE

- 8t - 25t : 450mm - 750mm
- 20t - 25t : 450mm - 600mm

APPLICATIONS:

- Fracturable Rock
- Hard rock (e.g. Basalt)



EXCAVATOR **ATTACHMENTS**

AUGER DRIVERS

SPECS			
SIZE	MODEL	SHAFT	TORQUE
1 - 1.8t	PDX-2	65mm Round	2307 Nm
3 - 3.5t	PD3	65mm Round	3544 Nm
5 -5.5t	PD5	75mm Square	5151 Nm
8 - 10t	PD10	75mm Square	9690 Nm
15t	PD18	75mm Square	17603 Nm
20-25t	PD22	75mm Square	22142 Nm
High Torque	PD50	100mm Square	38420 Nm



FEATURES:

- Head brackets to suit most excavator hitches
- Diggalign Technology Available
- Screw piling / case drains available

EXCAVATOR ATTACHMENTS

HOLE CLEANERS

SIZE RANGE	
•	350mm
•	450mm
•	600mm

APPLICATIONS:

- Clear auger soil from the bottom of the holes. Leaving a clean and flattened base.



EXCAVATOR ATTACHMENTS

COMPACTION WHEELS

SIZE RANGE

- 3 Tonne - 25 Tonne

APPLICATIONS:

- Compacting dirt back into trenches
- Compacting loss soil after large projects of all sizes.



EXCAVATOR ATTACHMENTS

GRADER BLADES

SPECS

- 8 Tonne Tilting Grader Blade
- 12 Tonne Tilting Grader Blade
- 20 Tonne Fixed Grader Blade

APPLICATIONS:

- Batters
- Final trims



EXCAVATOR ATTACHMENTS

DRUM GRINDER

SIZE RANGE

- 5 Tonne - 13 Tonne

APPLICATIONS:

- Trenching
- Tunnelling
- Demolishing



EXCAVATOR ATTACHMENTS

HYDRAULIC HAMMERS (ROCK BREAKERS)

SPECS

SIZE RANGE 0.8 TONNE – 25 TONNE

MODEL	CHISEL DIAMETER	IMPACT ENERGY
FB 200s	45mm	290 Joules
FB 300s	53mm	300 Joules
FB 400s	68mm	650 Joules
FB 430s	75mm	700 Joules
FB 450s	85mm	1200 Joules
FB 500s	100mm	2847 Joules
FB 800s	140mm	3000 Joules



EXCAVATOR ATTACHMENTS

HYDRAULIC GRAPPLE

SIZE RANGE

- 0.8 Tonne - 25 Tonne

APPLICATIONS:

- Picking up large rocks
- Demolition
- Picking up large amounts of shrub or rubbish



EXCAVATOR **ATTACHMENTS**

RIPPERS

SIZE RANGE

- 0.8 Tonne - 25 Tonne

APPLICATIONS:

- Ripping up hard ground before digging
- Breaking through thick tree roots
- Demolition



EXCAVATOR **ATTACHMENTS**

SCREENING BUCKETS

SIZE RANGE

- 5 Tonne - 25 Tonne

APPLICATIONS:

- Separating rocks from dirt



EXCAVATOR **ATTACHMENTS**

SIEVE BUCKETS

SIZE RANGE

- 0.8 Tonne - 25 Tonne

APPLICATIONS:

- Separate loose rock and rubbish from soil
- Helps save on tip fees



EXCAVATOR **ATTACHMENTS**

TILT BUCKETS

SIZE RANGE

- 2.5 Tonne - 25 Tonne

APPLICATIONS:

- Digging batters
- Shaping land
- Provides more flexibility than a traditional bucket



EXCAVATOR **ATTACHMENTS**

STICK RAKES

SIZE RANGE

- 5 Tonne - 25 Tonne

APPLICATIONS:

- Used to increase productivity when cleaning up vegetation
- Removing unwanted shrubbery and overgrowth
- Sorting soil from rock



EXCAVATOR **ATTACHMENTS**

VIBRATORY PLATES

SIZE RANGE

- 5.5 Tonne - 25 Tonne

APPLICATIONS:

- Compacting loose dirt in trenches
- Compacting Slopes
- Compacting Batters or gravel



EXCAVATOR ATTACHMENTS

SLEEPER GRABS

SIZE RANGE KG

SIZE RANGE MM

- Up to 1500kg
- Up to 730mm



EXCAVATOR ATTACHMENTS

GP BUCKETS

SIZE RANGE

- 0.8 Tonne – 25 Tonne

WIDTHS

- 200mm – 1200mm

OPTIONS:

- Narrow trenching buckets
- Gummy Buckets
- Chisel/Tiger teeth



EXCAVATOR ATTACHMENTS

POST DRIVER

SIZE RANGE

- 5.5 Tonne

APPLICATIONS:

- Ramming in fence posts up to 150mm in diameter



EXCAVATOR ATTACHMENTS

CUTTER CRUSHER

SIZE RANGE

- 5.5 Tonne - 13 Tonne

APPLICATIONS:

- Demolition
- Crushing Concrete
- Cutting through steel reo



SKIDSTEER ATTACHMENTS

EXCAVATOR MULCHER

SIZE RANGE

- 5.5 Tonne - 13 Tonne

FEATURES

- Fixed tooth design
- 1000mm cutting width
- Requires case drain
- Two adjustable mulching doors



SKIDSTEER ATTACHMENTS

“ I HAVE DEALT WITH FOCUS MACHINERY FOR YEARS NOW.
THE BOYS THERE ARE MORE THEN HELPFUL AND WILL
NEVER SAY NO. ”

- JAMES / YARRA GLEN

“ I HAVE DEALT WITH FOCUS FOR MANY YEARS NOW AND
FOUND THEM MORE THEN HELPFUL, THEY ARE GREAT
TO DEAL WITH AND HAVE GIVEN ME NO REASON TO GO
ANYWHERE ELSE. THANKS GUYS! ”

- ROB / WONTHAGGI

“ THEY TREAT YOU AS A FRIEND, WITH LOYALTY AND
RESPECT. TREAT YOU THE WAY THEY LIKE TO BE TREATED. ”

- PETER



SKID STEER & MULTI-TERRAIN LOADER ATTACHMENTS

Multi terrain loaders and skid steer loaders are an ideal replacement for hand labour in several conditions. Whether it is for digging or transporting a heavy item across a site, these can really prove to be worth hiring. But the machine is just the platform, the attachments bring the real benefits of being able to drill, dig, grab and sieve in the comfort of a luxury machine.



AUGERS

SIZE RANGE

General Augers 65mm Round

100 – 900mm

Rock Combo Augers 65mm Round

225 – 900mm



SKIDSTEER **ATTACHMENTS**

AUGER DRIVERS

MODEL

PD3

SIZE

65mm Round

MAX TORQUE

3544 Nm

RECOMMENDED FLOW

45-75 lpm



SKIDSTEER **ATTACHMENTS**



BROOMS



DUMPSTER BUCKET



LASER GRADER



SLASHER



SKIDSTEER SIEVE BUCKET



SMUDGE BAR



GRAPPLE BUCKET



HARLEY RAKE



ROTO TILLER



POST DRIVER



PALLET FORKS



ROCK SAW



TRENCHER



ROAD PROFILER



MULCHER



SKID STEER JACK HAMMER

SKIDSTEER ATTACHMENTS



“

I'VE HIRED MACHINERY MANY TIMES OFF FOCUS AND
ALWAYS HAD FRIENDLY, RELIABLE SERVICES FROM THE
BOYZ, THX!

”

- CON / THE BASIN



7-9 Kearney St, Bayswater VIC 3153

Ph: 03 9756 3950

Email: sales@focusmachinery.com.au

www.focusmachinery.com.au